SAFETY DATA SHEET

Hydrogen Chloride



Section 1. Identification

GHS product identifier	: Hydrogen Chloride
Chemical name	: Hydrogen chloride
Other means of identification	 Hydrochloric Acid; Anhydrous hydrochloric acid; Basilin; Chlorohydric acid; Hydrochloric acid gas; Hydrochloride; Muriatic acid; Salzsaeure; HCl; Hydrochloric acid, anhydrous; Hydrogen-chloride-anhydrous-; Acide chlorhydrique; Acido cloridrico; Chloorwaterstof; Chlorowodor; Chlorwasserstoff; NA 1789; Spirits of salt; UN 1050; UN 1789; UN 2186; Anhydrous hydrogen chloride; Hydrogen chloride (acid); Marine acid; Soldering acid; Spirit of salt; Spirits of salts
Product use	: Synthetic/Analytical chemistry.
Synonym	 Hydrochloric Acid; Anhydrous hydrochloric acid; Basilin; Chlorohydric acid; Hydrochloric acid gas; Hydrochloride; Muriatic acid; Salzsaeure; HCl; Hydrochloric acid, anhydrous; Hydrogen-chloride-anhydrous-; Acide chlorhydrique; Acido cloridrico; Chloorwaterstof; Chlorowodor; Chlorwasserstoff; NA 1789; Spirits of salt; UN 1050; UN 1789; UN 2186; Anhydrous hydrogen chloride; Hydrogen chloride (acid); Marine acid; Soldering acid; Spirit of salt; Spirits of salts
SDS #	: 001028
Supplier's details	: The Aero ALL-GAS Co.
	3150 Main Street Hartford, CT 06120 ph:(860) 278-AERO fax:(860) 527-AERO
Emergency telephone number (with hours of operation)	: 1-800-424-9300 Chemtrec

Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: GASES UNDER PRESSURE - Compressed gas ACUTE TOXICITY (inhalation) - Category 3 SKIN CORROSION/IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
GHS label elements Hazard pictograms	
Signal word	: Danger
Hazard statements	 Contains gas under pressure; may explode if heated. May displace oxygen and cause rapid suffocation. Toxic if inhaled. Causes severe skin burns and eye damage. Corrosive to respiratory tract.
Precautionary statements	
Data of ionus (Data of revision	10/21/2015 Data of provious issue 10/2/2014 Version 10.02 1/14

Section 2. Hazards identification

General	: Read and follow all Safety Data Sheets (SDS'S) before use. Read label before use.
Consta	Keep out of reach of children. If medical advice is needed, have product container or label at hand. Close valve after each use and when empty. Use equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use a back flow preventative device in the piping. Use only equipment of compatible materials of construction.
Prevention	: Wear protective gloves. Wear eye or face protection. Wear protective clothing. Use only outdoors or in a well-ventilated area. Avoid breathing gas. Wash hands thoroughly after handling. Use and store only outdoors or in a well ventilated place.
Response	: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
Storage	 Store locked up. Protect from sunlight. Protect from sunlight when ambient temperature exceeds 52°C/125°F. Store in a well-ventilated place.
Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	 In addition to any other important health or physical hazards, this product may displace oxygen and cause rapid suffocation.

Section 3. Composition/information on ingredients

Substance/mixture	: Substance
Chemical name	: Hydrogen chloride
Other means of identification	 Hydrochloric Acid; Anhydrous hydrochloric acid; Basilin; Chlorohydric acid; Hydrochloric acid gas; Hydrochloride; Muriatic acid; Salzsaeure; HCl; Hydrochloric acid, anhydrous; Hydrogen-chloride-anhydrous-; Acide chlorhydrique; Acido cloridrico; Chloorwaterstof; Chlorowodor; Chlorwasserstoff; NA 1789; Spirits of salt; UN 1050; UN 1789; UN 2186; Anhydrous hydrogen chloride; Hydrogen chloride (acid); Marine acid; Soldering acid; Spirit of salt; Spirits of salts

CAS number/other identifiers			
CAS number	: 7647-01-0		
Product code	: 001028		
Ingredient name		%	CAS number
hydrogen chloride		100	7647-01-0

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact

: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.

Date of issue/Date of revision : 04/21/2015. Date of previous issue : 10/2/2014. Version : 0.02 2/14
--

Section 4. First aid measures

	medsures
Inhalation	: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: As this product is a gas, refer to the inhalation section.
Most important symptoms/e	fects, acute and delayed
Potential acute health effec	
Eye contact	: Causes serious eye damage. Contact with rapidly expanding gas may cause burns or frostbite.
Inhalation	: Toxic if inhaled. May cause respiratory irritation.
Skin contact	: Causes severe burns. Contact with rapidly expanding gas may cause burns or frostbite.
Frostbite	: Try to warm up the frozen tissues and seek medical attention.
Ingestion	: May cause burns to mouth, throat and stomach. As this product is a gas, refer to the inhalation section.
Over-exposure signs/symp	<u>ioms</u>
Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing
Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
Indication of immediate med	ical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Date of issue/Date of revision : 04/21/2015.	Date of previous issue	: 10/2/2014.	Version : 0.02	3/14
--	------------------------	--------------	----------------	------

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: halogenated compounds
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Contact supplier immediately for specialist advice. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protect	ctive equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not breathe gas. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Ensure emergency procedures to deal with accidental gas releases are in place to avoid contamination of the environment. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ontainment and cleaning up
Small spill	: Immediately contact emergency personnel. Stop leak if without risk.

onian opin	- C.	initiation of the second of th	. 01	top louk if without hok.
Large spill		Immediately contact emergency personnel. 1 for emergency contact information and Se		

Section 7. Handling and storage

Precautions for safe handling	
Protective measures :	Put on appropriate personal protective equipment (see Section 8). Contains gas under pressure. Do not get in eyes or on skin or clothing. Do not breathe gas. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Empty containers retain product residue and can be hazardous. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.

Date of issue/Date of revision	:04/21/2015.	Date of previous issue	: 10/2/2014.	Version : 0.	02 4/14
--------------------------------	--------------	------------------------	--------------	--------------	---------

Section 7. Handling and storage

	-	
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in a segregated and approved area. Store away from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10). Store locked up. Keep container tightly closed and sealed until ready for use. Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52 °C (125 °F).

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits		
hydrogen chloride	ACGIH TLV (United States, 3/2012). C: 2 ppm NIOSH REL (United States, 1/2013). CEIL: 7 mg/m ³ CEIL: 5 ppm OSHA PEL (United States, 6/2010). CEIL: 7 mg/m ³ CEIL: 5 ppm OSHA PEL 1989 (United States, 3/1989). CEIL: 7 mg/m ³ CEIL: 5 ppm		

controls	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measure	<u>1</u>
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/ or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Skin protection	

Date of issue/Date of revision	:04/21/2015.	Date of previous issue	: 10/2/2014.	Version	:0.02	5/14

Section 8. Exposure controls/personal protection

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	: Gas. [Liquefied compressed gas.]
Color	: Colorless. Yellowish.
Molecular weight	: 36.46 g/mole
Molecular formula	: CI-H
Boiling/condensation point	: -85°C (-121°F)
Melting/freezing point	: -114°C (-173.2°F)
Critical temperature	: 51.45°C (124.6°F)
Odor	: Pungent.
Odor threshold	: Not available.
рН	: Not available.
Flash point	: [Product does not sustain combustion.]
Burning time	: Not applicable.
Burning rate	: Not applicable.
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: 613 (psig)
Vapor density	: 1.3 (Air = 1)
Specific Volume (ft ³ /lb)	: 10.5263
Gas Density (lb/ft ³)	: 0.095
Relative density	: Not applicable.
Solubility	: Soluble in the following materials: cold water.
Solubility in water	: Not available.
Partition coefficient: n- octanol/water	: 0.25
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.

Section 9. Physical and chemical properties

SADT Viscosity : Not available. : Not applicable.

Section 10. Stability and reactivity

	-	•
Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	No specific data.
Incompatibility with various substances	:	Extremely reactive or incompatible with the following materials: alkalis and moisture. Highly reactive or incompatible with the following materials: metals.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
hydrogen chloride	LC50 Inhalation Gas. LC50 Inhalation Gas.		3124 ppm 1562 ppm	1 hours 4 hours

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
hydrogen chloride	Eyes - Mild irritant	Rabbit	-	0.5 minutes 5 milligrams	-
	Skin - Mild irritant	Human	-	24 hours 4 Percent	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

Product/ingredient name	OSHA	IARC	NTP
hydrogen chloride	-	3	-

Reproductive toxicity

Date of issue/Date of revision : 04/21/2	15. Date of previous issue : 10/2/2	014. Version : 0.02 7/14
--	-------------------------------------	--------------------------

Section 11. Toxicological information

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Name		Catego	ory	Route of exposure	Target organs
hydrogen chloride		Catego	ory 3	Not applicable.	Respiratory tract irritation
Specific target organ toxic	ity (repeated expo	<u>osure)</u>			
Not available.					
Aspiration hazard					
Not available.					
Information on the likely routes of exposure	: Not available.				
Potential acute health effect	<u>s</u>				
Eye contact	: Causes serior frostbite.	us eye damage. Conta	act with rapi	dly expanding gas	s may cause burns or
Inhalation	: Toxic if inhaled. May cause respiratory irritation.				
Skin contact	: Causes severe burns. Contact with rapidly expanding gas may cause burns or frostbite				
Ingestion	: May cause bu inhalation sec	irns to mouth, throat a tion.	nd stomach	. As this product	is a gas, refer to the
Symptoms related to the ph	ysical, chemical a	and toxicological cha	racteristics	<u>5</u>	
Eye contact	: Adverse symp pain watering redness	otoms may include the	following:		
Inhalation	: Adverse symp respiratory tra coughing	otoms may include the act irritation	following:		
Skin contact	: Adverse symp pain or irritation redness blistering may		following:		
Ingestion	• •	otoms may include the	following:		
Delayed and immediate effe	cts and also chro	nic effects from shor	t and long	<u>term exposure</u>	
Short term exposure					
Potential immediate effects	: Not available.				
Potential delayed effects	: Not available.				
Long term exposure Potential immediate effects	: Not available.				
Potential delayed effects	: Not available.				
Potential chronic health eff	ects				
Date of issue/Date of revision	• 04/21/2015	Date of previous issue	: 10/2/20	14 V	lersion : 0.02 8

Section 11. Toxicological information

Not available.

General Carcinogenicity	No known significant effects or critical hazards.No known significant effects or critical hazards.
Mutagenicity Teratogenicity	No known significant effects or critical hazards.No known significant effects or critical hazards.
Developmental effects Fertility effects	No known significant effects or critical hazards.No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
hydrogen chloride	10	Crustaceans - Carcinus maenas - Adult	48 hours
	Acute LC50 282 ppm Fresh water	Fish - Gambusia affinis - Adult	96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
hydrogen chloride	0.25	-	low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Empty ALL-GAS owned pressure vessels should be returned to ALL-GAS. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

		Date of issue/Date of revision	:04/21/2015.	Date of previous issue	: 10/2/2014.	Version : 0.02	9/14
--	--	--------------------------------	--------------	------------------------	--------------	----------------	------

Hydrogen Chloride

Section 14. Transport information

	DOT	TDG	Mexico	IMDG	ΙΑΤΑ
		_			
UN number	UN1050	UN1050	UN1050	UN1050	UN1050
UN proper shipping name	HYDROGEN CHLORIDE, ANHYDROUS	HYDROGEN CHLORIDE, ANHYDROUS	HYDROGEN CHLORIDE, ANHYDROUS	HYDROGEN CHLORIDE, ANHYDROUS	HYDROGEN CHLORIDE, ANHYDROUS
Transport	2.3 (8)	2.3 (8)	2.3 (8)	2.3 (8)	2.3 (8)
hazard class(es)	BIALATION 22				
Packing group	-	-	-	-	-
Environment	No.	No.	No.	No.	No.
Additional informationInhalation hazard zone CExplosive Limit and Limited Quantity Index 0Reportable quantity 5000 lbs / 2270 kg Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity transportation requirements.Explosive Limit and Limited Quantity Index 0Limited quantity Yes.ERAP Index 25Packaging instruction Passenger aircraft Quantity limitation: Forbidden.Packaging instruction Passenger aircraft Quantity limitation: Forbidden.Special provisions 338		- ntrec	-	Passenger and Cargo AircraftQuantity limitation: 0 Forbidden Cargo Aircraft Only Quantity limitation: 0 Forbidden	

"Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product."

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

Date of issue/Date of revision : 04/21/2015. Date of previous issue : 10/2/2014. Version : 0.02 10/	Date of issue/Date of revision	:04/21/2015.	Date of previous issue	: 10/2/2014.	Version	:0.02	10/14
---	--------------------------------	--------------	------------------------	--------------	---------	-------	-------

Section 15. Regulatory information

	-
U.S. Federal regulations	: TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	United States inventory (TSCA 8b): This material is listed or exempted.
	Clean Water Act (CWA) 311: Hydrogen chloride
	Clean Air Act (CAA) 112 regulated flammable substances: Hydrogen chloride
	Clean Air Act (CAA) 112 regulated toxic substances: Hydrogen chloride
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Listed
SARA 302/304	

SARA 302/304

Composition/information on ingredients

			SARA 302 1	ſPQ	SARA 304 F	RQ.
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
hydrogen chloride	100	Yes.	-	-	-	-

SARA 304 RQ

: Not applicable.

SARA 311/312

Classification

: Sudden release of pressure

Immediate (acute) health hazard

Composition/information on ingredients

Name	%	hazard	Sudden release of pressure		(acute)	Delayed (chronic) health hazard
hydrogen chloride	100	No.	Yes.	No.	Yes.	No.

<u>SARA 313</u>

	Product name	CAS number	%
Form R - Reporting requirements	Hydrogen chloride	7647-01-0	100
Supplier notification	Hydrogen chloride	7647-01-0	100

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations

Massachusetts	: This material is listed.
New York	: This material is listed.
New Jersey	: This material is listed.
Pennsylvania	: This material is listed.
Canada inventory	: This material is listed or exempted.

Date of issue/Date of revision	:04/21/2015.	Date of previous issue	: 10/2/2014.	Version	:0.02	11/14
--------------------------------	--------------	------------------------	--------------	---------	-------	-------

Section 15. Regulatory information

Ŭ	
International regulations	
International lists	 Australia inventory (AICS): This material is listed or exempted. China inventory (IECSC): This material is listed or exempted. Japan inventory: This material is listed or exempted. Korea inventory: This material is listed or exempted. Malaysia Inventory (EHS Register): Not determined. New Zealand Inventory of Chemicals (NZIoC): This material is listed or exempted. Philippines inventory (PICCS): This material is listed or exempted. Taiwan inventory (CSNN): Not determined.
Chemical Weapons Convention List Schedule I Chemicals	: Not listed
Chemical Weapons Convention List Schedule II Chemicals	: Not listed
Chemical Weapons Convention List Schedule III Chemicals	: Not listed
<u>Canada</u>	
WHMIS (Canada)	 Class A: Compressed gas. Class D-1A: Material causing immediate and serious toxic effects (Very toxic). Class E: Corrosive material CEPA Toxic substances: This material is not listed. Canadian ARET: This material is not listed. Canadian NPRI: This material is listed. Alberta Designated Substances: This material is not listed. Ontario Designated Substances: This material is not listed. Quebec Designated Substances: This material is not listed.

Section 16. Other information

Canada Label requirements	: Class A: Compressed gas. Class D-1A: Material causing immediate and serious toxic effects (Very toxic).
	Class E: Corrosive material

Hazardous Material Information System (U.S.A.)

Health	3
Flammability	0
Physical hazards	3

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910. 1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)

Section 16. Other information



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

<u>History</u>	
Date of printing	: 04/21/2015.
Date of issue/Date of revision	: 10/15/2014.
Date of previous issue	: 10/2/2014.
Version	: 0.02
Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United NationsACGIH – American Conference of Governmental Industrial Hygienists AIHA – American Industrial Hygiene Association CAS – Chemical Abstract Services CEPA – Canadian Environmental Protection Act CERCLA – Comprehensive Environmental Response, Compensation, and Liability Act (EPA) CFR – United States Code of Federal Regulations CPR – Controlled Products Regulations DSL – Domestic Substances List GWP – Global Warming Potential IARC – International Agency for Research on Cancer ICAO – International Civil Aviation Organisation Inh – Inhalation LC – Lethal concentration LD – Lethal concentration LD – Lethal concentration SCA – National Institute for Occupational Safety and Health TDG – Canadian Transportation of Dangerous Goods Act and Regulations TLV – Threshold Limit Value TSCA – Toxic Substances Control Act WEEL – Workplace Environmental Exposure Level WHMIS – Canadian Workplace Hazardous Material Information System
References	: Not available.
Indicates information that	t has changed from proviously issued version

Indicates information that has changed from previously issued version.

Date of issue/Date of revision	:04/21/2015.	Date of previous issue	: 10/2/2014.	Version : 0.02	13/14
--------------------------------	--------------	------------------------	--------------	----------------	-------

Section 16. Other information

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

e : 10/2/2014.